



SMD Multilayer Ferrite Chip Beads - SB201209 Series

Electrical Characteristics


Part Number	Test Frequency (MHz)	Impedance (±25%)	DC Resistance () max.	Rated current (mA) max.
SBY201209T-070Y-S	100	7	0.10	600
SBY201209T-090Y-S	100	9	0.10	600
SBY201209T-110Y-S	100	11	0.10	600
SBY201209T-170Y-S	100	17	0.10	600
SBY201209T-320Y-S	100	32	0.10	600
SBK201209T-600Y-S	100	60	0.15	500
SBK201209T-700Y-S	100	70	0.15	500
SBK201209T-800Y-S	100	80	0.15	500
SBK201209T-121Y-S	100	120	0.25	300
SBK201209T-151Y-S	100	150	0.25	300
SBK201209T-221Y-S	100	220	0.30	300
SBK201209T-301Y-S	100	300	0.30	300
SBK201209T-401Y-S	100	400	0.30	300
SBK201209T-501Y-S	100	500	0.40	300
SBK201209T-601Y-S	100	600	0.40	300
SBK201209T-751Y-S	100	750	0.50	200
SBK201209T-102Y-S	100	1000	0.50	200
SBK201209T-152Y-S	100	1500	0.60	200
SBK201209T-202Y-S	100	2000	0.80	100
SBK201209T-222Y-S	100	2200	1.00	100
SBK201209T-252Y-S	100	2500	1.0	100
SBK201209T-272Y-S	100	2700	1.5	100

Test Instruments : HP4291A Impedance / Material Analyzer




SMD Multilayer Ferrite Chip Beads - SB201209 Series


SBY201209T-110Y-S




SBY201209T-170Y-S




SBY201209T-320Y-S




SBK201209T-600Y-S




SBK201209T-700Y-S




SBK201209T-800Y-S



SBK201209T-121Y-S




SBK201209T-151Y-S




SMD Multilayer Ferrite Chip Beads - SB201209 Series

Test Instruments : HP4291A Impedance / Material Analyzer


SBK201209T-221Y-S




SBK201209T-301Y-S




SBK201209T-401Y-S




SBK201209T-501Y-S




SBK201209T-601Y-S




SBK201209T-751Y-S



SBK201209T-102Y-S




SBK201209T-152Y-S




SMD Multilayer Ferrite Chip Beads - SB201209 Series

Test Instruments : HP4291A Impedance / Material Analyzer


SBK201209T-202Y-S



SBK201209T-222Y-S



SBK201209T-252Y-S



SBK201209T-272Y-S

